## VOLUME CONTENTS

### Volume 34 Issue 1, February 2003


1 Polymorphisms in MHC-*DRA* and -*DRB* alleles of water buffalo (*Bubalus bubalis*) reveal different features from cattle *DR* alleles
*L Sena, M P C Schneider, B Brenig, R L Honeycutt, J E Womack, L C Skow*

11 Putative *in silico* mapping of DNA sequences to livestock genome maps using SSLP flanking sequences
*C R Farber, J F Medrano*

19 Polymorphism at the ovine $\beta_3$-adrenergic receptor locus: associations with birth weight, growth rate, carcass composition and cold survival
*R H Forrest, J G H Hickford, A Hogan, C Frampton*

26 Genetic diversity and relationships of indigenous Kenyan camel (*Camelus dromedarius*) populations: implications for their classification
*D N Mburu, J W Ochieng, S G Kuria, H Jianlin, B Kaufmann, J E O Rege, O Hanotte*

33 Genetic variation in caribou and reindeer (*Rangifer tarandus*)
*M A Cronin, J C Patton, N Balmysheva, M D MacNeil*

Short Communications

42 Comparative mapping of a region on chromosome 10 containing QTL for reproduction in swine
*D J Nonneman, G A Rohrer*

47 Analysis of the 5' region of the canine *PAX3* gene and exclusion as a candidate for Dalmatian deafness
*B Brenig, I Pfeiffer, A Jaggy, I Kathmann, M Balzari, C Gaillard, G Dolf*

51 X/XY/XYY mosaicism as a cause of subfertility in boars: a single case study
*C R Quilter, D Wood, O I Southwood, D K Griffin*

55 Genetic relationship between Mongolian and Norwegian horses?
*G Bjørnstad, N O Nilsen, K H Røed*

59 Cloning, characterization and chromosomal localization of the *Sus scrofa SLC31A1* gene
*T L Harboe, L R Jensen, C Hansen, P Horn, C Bendixen, N Tommerup, Z Tümer*

62 Physical mapping of the brain and ovarian aromatase genes in the Nile Tilapia, *Oreochromis niloticus*, by fluorescence in situ hybridization
*S C Harvey, J Y Kwon, D J Penman*

Brief Notes

65 Characterization and linkage map assignments for 61 new horse microsatellite loci (*AHT49– 109*)
*J E Swinburne, A Turner, L J Alexander, J R Mickleson, M M Binns*

68 The canine *HMGA1* gene maps to CFA 23
*K Becker, H Murua Escobar, A Richter, B Meyer, I Nolte, J Bullerdiek*

69 Contribution of a new set of canine microsatellites to the knowledge of the canine genetic map
*D Parra, G Dolf, S Dunner*

71 Eighty-three previously unreported equine microsatellite loci
*J R Mickelson, J T Wu, L Y Morrison, J E Swinburne, M M Binns, K M Reed, L J Alexander*

75 *KITLG* maps to canine chromosome 15 and is excluded as a candidate gene for merle in dogs
*S M Schmutz, T G Berryere, C A Sharp*

76 Physical mapping of the rod cGMP- phosphodiesterase γ-subunit (*PDE6G*) gene to pig chromosome 12
*M Yu, B Liu, M Yerle, M Zhu, P Pan, B Fan, K Li*

77 Erratum

78 Instructions to authors


### Volume 34 Issue 2, April 2003


81 Obituary – Clyde Junior Stormont (1916–2002)

82 Origin of rabbit (*Oryctolagus cuniculus*) in China: evidence from mitochondrial DNA control region sequence analysis
*J-R Long, X-P Qiu, F-T Zeng, L-M Tang, Y-P Zhang*

88 Genotypic variability at the major histocompatibility complex (*B and Rfp-Y*) in Camperos broiler chickens
*G M Iglesias, L A Soria, R M Goto, A M Jar, M C Miquel, O J Lopez, M M Miller*

96 Phylogenies using mtDNA and *SRY* provide evidence for male-mediated introgression in Asian domestic cattle
*Y Kikkawa, T Takada Sutopo, K Nomura, T Namikawa, H Yonekawa, T Amano*

102 A consolidated linkage map for rainbow trout (*Oncorhynchus mykiss*)
*K M Nichols, W P Young, R G Danzmann, B D Robison, C Rexroad, M Noakes, R B Phillips, P Bentzen, I Spies, K Knudsen, F W Allendorf, B M Cunningham, J Brunelli, H Zhang, S Ristow, R Drew, K H Brown, P A Wheeler, G H Thorgaard*

116 Characterization of naturally processed and presented peptides associated with bovine major histocompatibility complex (BoLA) class II DR molecules
*S Sharif, B A Mallard, B N Wilkie*

124 Cloning and characterization of the bovine *EGR4* gene and evaluation as candidate gene for bovine spinal dysmyelination
*P H Nissen, B Thomsen, H Offenberg, P D Thomsen, C Bendixen*

Short Communications

132 Mapping of porcine ESTs obtained from the anterior pituitary
*G R Bertani, R K Johnson, A Robic, D Pomp*

135 Development of 50 gene-associated microsatellite markers using BAC clones and the construction of a linkage map of swine chromosome 4
*N Fujishima- Kanaya, D Toki, K Suzuki, T Sawazaki, H Hiraiwa, M Iida, T Hayashi, H Uenishi, Y Wada, Y Ito, T Awata*

142 Evaluation of the present breeding programme against copper toxicosis in Danish Bedlington terriers
*H F Proschowsky, J B Olsen, B Jepsen, M Fredholm*

Brief Notes

146 Characterization of a SINE indel polymorphism in the porcine *AGL* gene and assignment of the gene to chromosome 4q
*A Stratil, P Blažková , M Kopečnÿ , H Bartenschlager, M Van Poucke, L J Peelman, L Fontanesi, R Davoli, E Scotti, V Russo, H Geldermann*

148 Polymorphisms in the equine *WNT1* gene allow linkage mapping to ECA6q
*C Mau, G Stranzinger, S Rieder*

149 Linkage mapping of *POMC* to bovine chromosome 11
*T D Thue, F C Buchanan*

150 Linkage mapping of *FBN1* to bovine chromosome 10
*T D Thue, F C Buchanan*

151 Construction and characterization of three BAC libraries for analysis of the chicken genome
*M- K Lee, C W Ren, B Yan, B Cox, H- B Zhang, M N Romanov, F G Sizemore, S P Suchyta, E Peters, J B Dodgson*

152 Linkage mapping of the porcine testis enhanced gene transcript (*TEGT*) gene to chromosome 5
*J G Kim, D Nonneman, J L Vallet, R K Christenson*

153 Characterization and mapping of 19 polymorphic microsatellite markers for rainbow trout (*Oncorhynchus mykiss*)
*Y Palti, R G Danzmann, C E Rexroad III*

156 OtY1 is a Y-linked marker in Chinook salmon but not in Rainbow trout
*M A Noakes, R B Phillips*

157 Marker polymorphisms in the porcine genes for muscle glycogen synthase (GYS1) and muscle glycogen phosphorylase (PYGM)
*M F W te Pas, J I Leenhouwers, E F Knol, M Booij, J Priem, T van der Lende*

158 Genetic mapping of the chicken stem cell antigen 2 (SCA2) gene to chromosome 2 via PCR primer mutagenesis
*H-C Liu, H H Cheng*

## Volume 34 Issue 3, June 2003

161 The second generation of the International Equine Gene Mapping Workshop half-sibling linkage map
*G Guérin, E Bailey, D Bernoco, I Anderson, D F Antczak, K Bell, I Biros, G Bjørnstad, A T Bowling, R Brandon, A R Caetano, G Cholewinski, D Colling, M Eggleston, N Ellis, J Flynn, B Gralak, T Hasegawa, M Ketchum, G Lindgren, L A Lyons, L V Millon, D Mariat, J Murray, A Neau, K Roed, K Sandberg, L C Skow, I Tammen, T Tozaki, E Van Dyk, B Weiss, A Young, J Ziegle*

169 *TYRP1* is associated with dun coat colour in Dexter cattle or how now brown cow?
*T G Berrygere, S M Schmutz, R J Schimpf, C M Cowan, J Potter*

176 cDNA cloning, mapping and polymorphism of the porcine *Rhesus* (*RH*) gene
*T Omi, P Vögeli, C Hagger, C Schelling, Š Špilar, E Kajii, G Stranzinger, S Neuenschwander*

183 Sequence variation in the bovine and ovine *PRNP* genes
*D Hills, J Schlaepfer, S Comincini, I MacLean, G Dolf, L Ferretti, I Olsaker, J L Williams*

191 Deletion of one of the duplicated *Hsp70* genes causes hereditary myopathy of diaphragmatic muscles in Holstein-Friesian cattle
*M Sugimoto, H Furuoka, Y Sugimoto*

198 A radiation hybrid map of bovine chromosome 24 and comparative mapping with human chromosome 18
*E Kurar, J E Womack, B W Kirkpatrick*

205 Use of a novel outbred by inbred $F_1$ cross to detect genetic markers for growth
*N Deeb, S J Lamont*

Short Communications

213 Molecular cloning of the porcine *inhibin*-βB gene and reassignment to chromosome 15
*D Nonneman, G A Rohrer*

216 Construction of a new porcine whole-genome framework map using a radiation hybrid panel
*N Hamasima, H Suzuki, A Mikawa, T Morozumi, G Plastow, T Mitsuhashi*

221 Identification of SNPs, mapping and analysis of allele frequencies in two candidate genes for meat production traits: the porcine myosin heavy chain 2B (*MYH4*) and the skeletal muscle myosin regulatory light chain 2 (*HUMMLC2B*)
*R Davoli, L Fontanesi, M Cagnazzo, E Scotti, L Buttazzoni, M Yerle, V Russo*

226 Estimation of genetic variability of the founder population in a conservation scheme using microsatellites
*M A Toro, C Barragán, C Ovilo*

229 Differences in recombination rates on chromosome 23 between German Angus and German Simmental and breed specific linkage mapping
*C Weimann, M Kraus, M Gauly, G Erhardt*

Brief Notes

232 Linkage and radiation hybrid mapping of the porcine *MEF2D* gene to chromosome 4q
*D Wagenknecht, A Stratil, H Bartenschlager, M Van Poucke, L J Peelman, I Majzlík, H Geldermann*

233 The bovine type I iodothyronine deiodinase (*DIO1*) gene maps to chromosome 3
*E E Connor, T S Sonstegard, S Kahl, G L Bennett, W M Snelling*

234 Assignment of the fatty acid synthase (FASN) gene to pig chromosome 12 by physical and linkage mapping
*G Muñoz, C Ovilo, J L Noguera, A Sánchez, C Rodríguez, L Silió*

235 Characterization of a bovine gene encoding an ankyrin repeat and SOCS box protein (*ASB15*)
*T G McDaneld, D E Moody*

236 Eleven previously unreported dinucleotide microsatellite loci on bovine chromosome 19
*M Sugimoto, N Ihara, G L Bennett, Y Sugimoto*

237 Chicken syndecan-4 (*SDC4*) maps to linkage group E32E47W24
*I R Paton, J Smith, D W Burt*

238 Linkage and radiation hybrid mapping of the porcine *MYF6* gene to chromosome 5
*Z Vykoukalová, A Knoll, J Dvořák, G A Rohrer, S Čepica*

## Volume 34 Issue 4, August 2003

241 Melanocortin 1-receptor (*MC1R*) mutations are associated with plumage colour in chicken
*S Kerje, J Lind, K Schütz, P Jensen, L Andersson*

249 A double-screening method to identify reliable candidate non-synonymous SNPs from chicken EST data
*H Kim, C J Schmidt, K S Decker, M G Emara*

255 Conservation of the syntenies between porcine chromosome 7 and human chromosomes 6, 14 and 15 demonstrated by radiation hybrid mapping and linkage analysis
*M Tanaka, T Matsumoto, S Yanai, M Domukai, D Toki, T Hayashi, S Kiuchi, H Yasue, H Uenishi, E Kobayashi, T Awata*

264 The twofold difference in adult size between the red junglefowl and White Leghorn chickens is largely explained by a limited number of QTLs
*S Kerje, Ö Carlborg, L Jacobsson, K Schütz, C Hartmann, P Jensen, L Andersson*

275 Association of transforming growth factor β genes with quantitative trait loci for antibody response kinetics in hens
*H Zhou, S J Lamont*

283 Analysis of polymorphic microsatellites within the bovine and ovine prion protein (*PRNP*) genes
*H Geldermann, S Preuss, J Eckert, Y Han, K Ollesch*

Short Communications

290 Characterization and mapping of bovine dopamine receptors 1 and 5
*A Haegeman, J L Williams, A Law, A Van Zeveren, L J Peelman*

294 Chromosome localization of the 31 type I Texas bovine markers in sheep and goat chromosomes by comparative FISH-mapping and R-banding
*G P Di Meo, A Perucatti, M Gautier, H Hayes, D Incarnato, A Eggen, L Iannuzzi*

297 Individual assignment using microsatellite DNA reveals unambiguous breed identification in the domestic dog
*M T Koskinen*

Brief Notes

302 Radiation hybrid mapping of three skeletal muscle genes (*CKM*, *ECH1* and *TNNT1*) to porcine chromosome 6
*R Davoli, P Zambonelli, L Fontanesi, M Cagnazzo, D Bigi, V Russo, D Milan*

303 Identification of a novel lysine-171 allele in the ovine prion protein (*PRNP*) gene
*X Guo, D M Kupfer, G Q Fitch, B A Roe, U DeSilva*

305 Characterization of three single nucleotide polymorphisms in the porcine *BMP15* gene
*A Wang, X Hu, N Li, C Wu*

306 *BMPR1B* maps to chromosome 8 in swine
*A Wang, X Hu, N Li, C Wu*

307 Radiation hybrid mapping and genomic organization of canine *TBX2* and *TBX4*
*G Andelfinger, L Etter, M Dyment, C Hitte, F Galibert, E Kirkness, D W Benson*

309 FISH and RH mapping of the bovine alpha (2)/delta calcium channel subunit gene (*CACNA2D1*)
*J Buitkamp, D Ewald, J Masabanda, M D Bishop, R Fries*

310 Linkage mapping of a SNP in the porcine *MADH1* gene to a region of chromosome 8 that contains QTL for uterine capacity
*J G Kim, D Nonneman, G A Rohrer, J L Vallet, R K Christenson*

311 Linkage mapping of the bovine bone morphogenetic protein receptor- 1B (*BMPR1B*) to chromosome 6
*J G Kim, T P L Smith, W M Snelling, J L Vallet, R K Christenson*

311 Mutations in the *limbin* gene previously associated with dwarfism in Japanese brown cattle are not responsible for dwarfism in the American Angus breed
*B P Mishra, J M Reecy*

313 Linkage mapping of *IGF2* on cattle chromosome 29
*J J Goodall, S M Schmutz*

313 Linkage and radiation hybrid mapping of the porcine *PIK3R1* gene to chromosome 16
*S Čepica, G A Rohrer*

315 Thirty-one polymorphic microsatellite markers for genetic mapping in rainbow trout (*Oncorhynchus mykiss*)
*A Ozaki, S-K Khoo, T Sakamoto, N Okamoto*

317 Linkage mapping of the porcine *hairless* gene (*HR*) to chromosome 14
*A Fernández, L Silió, J L Noguera, A Sánchez, C Ovilo*

## Volume 34 Issue 5, October 2003

319 Mitochondrial DNA sequence variation and phylogenetic relationships among Iberian pigs and other domestic and wild pig populations
*E Alves, C Ovilo, M C Rodríguez, L Silió*

325 Identification and physical mapping of genes expressed in the *corpus luteum* in cattle
*T Bønsdorff, A Eggen, M Gautier, H-C Åsheim, K Rønningen, F Lingaas, I Olsaker*

334 Experimental population design for estimation of dominant molecular marker effect on egg-production traits
*M G Kaiser, N Lakshmanan, J A Arthur, N P O'Sullivan, S J Lamont*

339 Association of twelve candidate gene polymorphisms and response to challenge with *Salmonella enteritidis* in poultry
*J Kramer, M Malek, S J Lamont*

Short Communications

349 Mapping and SNP analysis of bovine candidate genes for meat and carcass quality
*A Haegeman, J L Williams, A Law, A Van Zeveren, L J Peelman*

354 *DGAT1*, a new positional and functional candidate gene for intramuscular fat deposition in cattle
*G Thaller, C Kühn, A Winter, G Ewald, O Bellmann, J Wegner, H Zühlke, R Fries*

358 No disease-associated mutations found in the coding sequence of the canine polycystic kidney disease gene 1 in Bull Terriers with polycystic kidney disease
*C A O'Leary, R B Atwell, N G Laing*

362 Mapping of 1400 expressed sequence tags in the bovine genome using a somatic cell hybrid panel
*T Itoh, A Takasuga, T Watanabe, Y Sugimoto*

371 A new mutation in the coding region of the bovine leptin gene associated with feed intake
*R Lagonigro, P Wiener, F Pilla, J A Woolliams, J L Williams*

375 Chromosomal mapping, sequence and transcription analysis of the porcine fertilin beta gene (*ADAM2*)
*A E Day, C R Quilter, C A Sargent, A J Mileham*

379 Identification of a sex-determining region in Nile tilapia (*Oreochromis niloticus*) using bulked segregant analysis
*B-Y Lee, D J Penman, T D Kocher*

Brief Notes

384 Polymorphism analysis and mapping to SSC4 of the porcine apolipoprotein A2 (*APOA2*) gene
*A Knoll, A Stratil, Z Vykoukalová, M Van Poucke, H Bartenschlager, L J Peelman, H Geldermann*

386 FISH-localization of the nucleolar organizer region on the feline E1p12 chromosome
*I Szczerbal, E Michalak*

387 Assignment of the mitochondrial *glycerol-3-phosphate acyltransferase* (*GPAT*) gene to porcine chromosome 14
*A Tomàs, J Estellé, A Clop, L Gómez-Raya, J L Noguera, A Sánchez, M Amills*

387 Characterization of microsatellite loci in wild and domestic Muscovy ducks (*Cairina moschata*)
*S M Stai, C R Hughes*

389 Identification of a new BoLA-*DRB*3.2 allele
*M Poli, L Sala, R Zandomeni*

390 Linkage mapping of major histocompatibility complex class I loci in tilapia (*Oreochromis* spp.)
*A Cnaani, B-Y Lee, M Ron, G Hulata, T D Kocher, E Seroussi*

391 The porcine fast skeletal muscle troponin T3 (*TNNT3*) gene: identification of mutations and linkage mapping to chromosome 2
*R Davoli, L Fontanesi, S Braglia, V Russo*

393 Chromosomal assignment and mapping of the Vasotocin Receptor 1, homologue to the mammalian V1a and Vasotocin Receptor 2 homologue to the mammalian V1b receptors in the domestic fowl
*K Scarbrough, J D Kirby, L E Cornett, R Okimoto*

393 Mapping of genes encoding four ATPase and three non-ATPase components of the pig 26S proteasome
*Y F Wang, M Yu, M Yerle, B Liu, S H Zhao, T A Xiong, B Fan, K Li*

395 Mapping the *ABCA4*, *IMPDH2* and *TIMP3* genes in chicken
*I R Paton, J Smith, D W Burt*

396 Novel prion protein polymorphisms in cattle
*A Takasuga, T Abe, T Ito, T Watanabe, N Kamatani, Y Sugimoto*

## Volume 34 Issue 6, December 2003

399 Preliminary linkage map of the Turkey (*Meleagris gallopavo*) based on microsatellite markers
*D W Burt, D R Morrice, A Sewalem, J Smith, I R Paton, E J Smith, J Bentley, P M Hocking*

410 Feasibility and utility of microsatellite markers in archaeological cattle remains from a Viking Age settlement in Dublin
*C J Edwards, J Connellan, P F Wallace, S D E Park, F M McCormick, I Olsaker, E Eythórsdóttir, D E MacHugh, J F Bailey, D G Bradley*

417 Mitochondrial DNA diversity of Pakistani goats
*S Sultana, H Mannen, S Tsuji*

422 Detection of QTL for immune response to sheep red blood cells in laying hens
*M Siwek, S J B Cornelissen, M G B Nieuwland, A J Buitenhuis, H Bovenhuis, R P M A Crooijmans, M A M Groenen, G Vries-Reilingh, H K Parmentier, J J van der Poel*

429 Development of a single nucleotide polymorphism map of porcine chromosome 2
*B J Jungerius, A P Rattink, R P M A Crooijmans, J J Poel, B A Oost, M F W te Pas, M A M Groenen*

438 Characterization of gene expression in double-muscled and normal-muscled bovine embryos
*J K Potts, S E Echternkamp, T P L Smith, J M Reecy*

445 Putative SNP discovery in interspecific hybrids of catfish by comparative EST analysis
*C He, L Chen, M Simmons, P Li, S Kim, Z J Liu*

Short Communications

449 Mapping of ESTs derived from pre-implantation stage cattle embryos to allocate 16 new additions to the ordered comparative map of cattle and human
*S Mamo, K Wimmers, M Gilles, S R Kata, K Schellander, S Ponsuksili*

453 Fixed nucleotide differences on the Y chromosome indicate clear divergence between *Equus przewalskii* and *Equus caballus*
*B Wallner, G Brem, M Müller, R Achmann*

457 Characterization of the bovine *BCL2L1* gene and related pseudogenes
*M Amills, J L Bouzat*

462 Population structure of the Southeast Asian river catfish *Mystus nemurus*
*S Usmani, S G Tan, S S Siraj, K Yusoff*

Brief Notes

465 Characterization of the genetic diversity on natural populations of Chinese miniature pig breeds
*B Fan, S-L Yang, B Liu, M Yu, S-H Zhao, K Li*

466 Fine mapping of the bovine heart fatty acid-binding protein gene (*FABP3*) to BTA2q45 by fluorescence *in situ* hybridization and radiation hybrid mapping
*R Roy, J H Calvo, H Hayes, C Rodellar, A Eggen*

467 Exclusion of *PISRT1* as a candidate locus for canine *Sry*-negative XX sex reversal
*K S D Kothapalli, E Kirkness, L J Natale, V N Meyers-Wallen*

469 Assignment of the *porcine peptide YY* gene to chromosome 12
*R H Pita, A M Ramos, P S Lopes, S E F Guimaraes, M F Rothschild*

469 Mapping of the porcine *peroxisome proliferator activated receptor alpha* gene to chromosome 5
*R H Pita, A M Ramos, P S Lopes, S E F Guimaraes, M F Rothschild*

470 Mapping of bovine *CEBPD* to BTA14q15–17
*N Ihara, H Yamakuchi, Y Taniguchi, Y Sasaki, G L Bennett, S Kappes, Y Sugimoto*

Brief Notes

471 Assignment of the porcine stearoyl-CoA desaturase (*SCD*) gene to SSC14q27 by fluorescence *in situ* hybridization and by hybrid panel mapping
*J Ren, C Knorr, F Habermann, R Fries, L S Huang, B Brenig*

473 Sequencing, tissue distribution and physical mapping of the porcine homologue of cardiomyopathy associated 3 (*CMYA3*)
*P-W Pan, K Li, C K Tuggle, M Yu, B Liu, S-H Zhao*

474 Mapping of the goat *stearoyl coenzyme A desaturase* gene to chromosome 26
*M H Yahyaoui, D Vaiman, A Sánchez, J M Folch*

475 The chicken *bone morphogenetic protein receptor type II* gene maps to chromosome 7
*C R Cisar, J M Balog, R Okimoto, A M Donoghue*

477 Author Index

483 Keyword Index